

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/633,037	08/04/2003	Hiroki Sue	03500.017608	4712
5514 75	590 03/21/2005		EXAMINER	
	CK CELLA HARPER	PATEL, RAJ	PATEL, RAJNIKANT B	
30 ROCKEFELLER PLAZA NEW YORK, NY 10112		ART UNIT	PAPER NUMBER	
			2838	v

DATE MAILED: 03/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Supplemental Notice of Allowability

Application No.	Applicant(s)	
10/633,037	SUE ET AL.	
Examiner	Art Unit	
Rajnikant B Patel	2838	

	Rajnikant B Patel	2838					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.							
1. This communication is responsive to <u>8/4/03</u> .							
2. The allowed claim(s) is/are <u>1-10</u> .							
3. \boxtimes The drawings filed on <u>04 August 2003</u> are accepted by the	Examiner.						
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have The certified copies of the priority documents have Certified copies of the certified copies of the priority documents have The priority documents have Certified copies of the priority documents have The priority documents have <li< td=""><td>been received. been received in Application No cuments have been received in this i</td><td>national stage applica</td><td></td></li<>	been received. been received in Application No cuments have been received in this i	national stage applica					
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give			OTICE OF				
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 							
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 9/8/03 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendn 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), e nent/Comment	owance Lary PATEL				

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-10 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

Applicant's invention claims an electric power supply control apparatus. Which starts an interruption process upon detecting a voltage lower than a predetermined voltage, then detecting electric power supply voltage again and, in the case the predetermined voltage is recovered, the control circuit does not execute a self resetting, thereby a device control without executing a resetting operation in a situation where the electric power supply voltage is actually not lowered thereby not causing an erroneous operation of control means. None of the cited art discloses overcome the claim limitation of the instant application since claims are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rajnikant B Patel whose telephone number is 571-272-2082. The examiner can normally be reached on 6.30-5.00; m-f.

Art Unit: 2838

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Sherry can be reached on 571-272-2084. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Rajnikant B Patel Primary Examiner Art Unit 2838
